

Android Controlled Robot

Saksham Jain, Sanya Aggarwal, Khushbu Bansal, Satakshi Tiwari, Siddharth Srivastava

Department of ECE, ABES Engineering College, Ghaziabad, Uttar Pradesh, India

ABSTRACT

Today human-machine correspondence is moving away from mouse and pen and is becoming unavoidable and on a very basic level more sensible with the veritable world. As time goes on the opening among machines and people is being lessened with the assistant of new advances with work with the way of life. Enhancements have perceived a major part in decreasing this opening. In this paper, a comprehensive evaluation of various frameworks of "Human-Machine Interaction" utilizing enhancements has been introduced. Upgrades can be gotten with the assistance of an accelerometer, notwithstanding, with the development of telephone its free use has been passed on purposeless. This paper examinations the improvement progress through an android cell with a Bluetooth module to control the energy of a robot. The signs of the Bluetooth Module are constrained by the Microcontrollers.

Keywords: Android OS, Bluetooth, Microcontroller, Smartphone.

SAMRIDDHI : A Journal of Physical Sciences, Engineering and Technology (2022); DOI: 10.18090/samriddhi.v14i02.8

INTRODUCTION

Robot is splendid machine which can be changed and used in various spaces like industry, delivering, creation lines, or prospering, etc.^[1] The robot perform hard, hazardous, and undeniable work to work with our life and to broaden creation so that they can work 24 hours without rest, and also can work like human at any rate more surely in less time. Assistive adaptable robot that perform variety of sorts of work over ordinary activities, like in various spaces like industry, delivering, creation lines, or flourishing, etc. are usually used to chip away at our life. The chance of this assessment is headway to maul mechanical use on clinical idea field to help portability crippled people.

LITERATURE REVIEW

Explicit analyzes has been made by various specialists in cultivating this undertaking. Notwithstanding, they give substitute applications and have various advances executed. A piece of those papers is suggested under passing on their turn of events and Application. M. Selvam^[4] has delivered up system to animate motorized improvement which has distant camera related for understanding. Bluetooth was done in undertaking for giving relationship among PDA and robots. Far away night vision camera was utilized for giving far away insight.

B. Santhosh Kumar and Ranjith Kumar Goud have made robot which does pick and drop. They expected that it ought to be utilized for diffusing a bomb distantly with security. For motorized arm, several engines as well as other pair of wheels of the robot for controlling new development. Availability is set up utilizing Bluetooth. The little regulator utilized is LPC2148. They have in like way related a distant camera for far away information. They have dealt with

Corresponding Author: Saksham Jain, Department of ECE, ABES Engineering College, Ghaziabad, Uttar Pradesh, India, e-mail: Saksham.17bec1067@abes.ac.in

How to cite this article: Jain, S., Aggarwal, S., Bansal, K., Tiwari, S., Srivastava, S. (2022). Android Controlled Robot. *SAMRIDDHI : A Journal of Physical Sciences, Engineering and Technology*, 14(2), 175-177.

Source of support: Nil

Conflict of interest: None

this undertaking basically for mechanical and military applications.

Arpit Gupta, Sukhdeep Kaur Bhatia, Saurabh Verma have coordinated android cell phone which manages a robot through Bluetooth development. The telephone utilizes movement sensors and keep track of the progressions sent through android cell. Comparably to control the movement of robot, it has Bluetooth module and inbuilt accelerometer.

RELEVANT THEORY

Existing System

In past Systems a robot is considered as electro-mechanical machine which is made by PC and program. Different robots are being made of get-together clarification and can open in endeavors all through planet. Coordinating of latest turned robot which can be controlling using an APP for android versatile. The made far off gets in the android application is significant so we can deal with the robot improvement inside that we use Bluetooth correspondence to interface the microcontroller and android limited.

Controller can be interfaced to the Bluetooth module through UART show. From the orders got from android the




Figure 1: Block diagram

robot improvement can be controlled in vertical, plunging, front and back degrees of progress. The normal yield of a robotized structure close by quality and repeats are unmatched. Contraptions can be traded to oblige various applications and pick/place robot is reprogrammable. The shortcomings of the Existing structure are its Complexity, unsatisfactory to achieve low power use, Poor sign quality and low precision.

Proposed System

Android Smartphone

Android is especially striking open source working development, considering the Linux package, used in PDAs like tablets and PDAs. Android has an especially simple to utilize platform which depends on joint exertion between the customer and device for instance, using contact improvements. Different advancements take after confirmed works out, like circuit tapping, swiping, exploring, beating to control on screen objects, nearby virtual control local area to take commitment to message structure. In the endeavor, android phone has a presented application that has been used to control robot. The PDAs ahead of time go with inbuilt progress to encourage coalition. The improvement we have used is Bluetooth.

User Interface

The UI, overall development, has been given using exceptionally made android application using GUI. It gives customer, specific controlling modes, to control robot unit. Precisely, if any application is started, we improve the association between application and RC unit, using Bluetooth. The GUI of android gives an unmistakable steady encounter to customer, for controlling the robot.

Android Application

The application was made in Android Studio. Application may be acquainted on Android PDA and controlling the RC unit. The application shows gets improvement for vehicle as a startling manner. These orders are according to the going with: Left, ahead, back and right. The code for this application is written in java.

R.C. Module

RC module is like a principal working unit of system. This unit joins the Arduino chip, a Bluetooth module and two drivers related to



Figure 2: Screenshot Of application




Figure 3: System diagram




Figure 4: Android controlled robot car



circuit. DC Motors are controlled by motor drivers. The Arduino Uno, which is little chip, stays at spot of intermixing of unit.

It is at risk for bantering with the android cell, motor drivers controls the DC motors and Bluetooth module is used. The RC unit is controlled by a 9V battery related with this Arduino chip. The requesting for controlling module has gotten using Bluetooth module HC-05.

Abbreviations and Acronyms

OS - Operating System
 GUI - Graphical User Interface
 RC - Remote Control

FUTURE SCOPE AND CONCLUSIONS

Anybody can alter the robot according to client prerequisite. On the off chance that somebody needs to utilize this for reconnaissance reason so they can execute the camera or warm sensors alongside other sensors. Again, once build up the Android application, the robot can react to instinctive forum signal dependent on the accelerometer sensor information, it reacts to one's voice, at contact of the screen, or at the swipe on the touchscreen.

Further if we need to improve the precision of the meanderer, we can implement sonar sensors so controlling wanderer from distant spot can be conceivable. We can likewise execute GPS framework so

it very well may be semi-self-governing. The proposed work can be enhanced with the assistance of greater security work like passwords, etc. The purpose of this paper is redesigning the splendid lifestyle. Controller is one of the primary fundamental necessities for every one of the people around the world.

ACKNOWLEDGEMENT

We would like to thank Mr. Sanjay Kumar Singh, Head of the Department, Electronics and Communication, for giving this opportunity to explore our ideas and to implement it and we would also like to thank Ms. Khushbu Bansal for her constant support and useful discussions during the entire project.

REFERENCES

[1] J.S. Harness, "Probabilistic Interpretation of Feed forward Classification Network Outputs, with Relationships to Statistical Pattern Recognition," *Neurocomputing—Algorithms, Architectures and Applications*, F. Fogelman Soulie and J. Hérault, eds., NATO ASI Series F68, Berlin: Springer-Verlag, pp. 227-236, 1989. (Book style with paper title and proofreader)

[2] W.- K. Chen, *Linear Networks and Systems*. Belmont, Calif.: Wadsworth, pp. 123-135, 1993. (Book style)

[3] H. Poor, "A Hypertext History of Multiuser Dimensions," *MUD History*, <http://www.ccs.neu.edu/home/pb/mudhistory.html>. 1986. (URL connect *include year)

[4] K. Elissa, "An Overview of Decision Theory," unpublished. (Unpublished composition)

[5] R. Nicole, "The Last Word on Decision Theory," *J. PC Vision*, submitted for distribution. (Forthcoming distribution)

[6] C. J. Kaufman, Rocky Mountain Research Laboratories, Boulder, Colo., individual correspondence, 1992. (Individual correspondence)

[7] Nalluri, S. K., & Parasaram, V. K. B. (2016). Early Approaches to Robotic Process Automation in Enterprise Systems. *International Journal of Humanities and Information Technology*, 1(01), 12-28. <https://doi.org/10.21590/ijhit.01.01.06>

[8] Parasaram, V. K. B., & Nalluri, S. K. (2016). A Comparative Analysis of Risk Management Frameworks in Enterprise IT Projects. *SAMRIDDIH : A Journal of Physical Sciences, Engineering and Technology*, 8(02), 147-155. <https://doi.org/10.18090/samriddhi.v8i2.7149>

[9] D.S. Coming and O.G. Staadt, "Speed Aligned Discrete Oriented Polytopes for Dynamic Collision Detection," *IEEE Trans. Representation and Computer Graphics*, vol. 14, no. 1, pp. 1-12, Jan/Feb 2008, doi:10.1109/TVCG.2007.70405. (IEEE Transactions)

[10] S.P. Bingulac, "On the Compatibility of Adaptive Controllers," *Proc. Fourth Ann. Allerton Conf. Circuits and Systems Theory*, pp. 8-16, 1994. (Gathering procedures)

[11] H. Goto, Y. Hasegawa, and M. Tanaka, "Effective Scheduling Focusing on the Duality of MPL Representation," *Proc. IEEE Symp Computational Intelligence in Scheduling (SCIS '07)*, pp. 57-64 Apr.2007, doi:10.1109/SCIS.2007.367670. (Meeting procedures)

[12] J. Williams, "Limited Band Analyzer," PhD thesis, Dept. of Electrical Eng., Harvard Univ., Cambridge, Mass., 1993. (Postulation or dissertation)

[13] E.E. Reber, R.L. Michell, and C.J. Carter, "Oxygen Absorption in the Earth's Atmosphere," *Technical Report TR0200 (420-46)- 3*, Aero-space Corp., Los Angeles, Calif., Nov. 1988. (Specialized report with report number)

[14] L. Hubert and P. Arabie, "Looking at Partitions," *J. Grouping*, vol. 2, no. 4, pp. 193-218, Apr. 1985. (Diary or magazine reference)

[15] R. J. Vidmar, "On the Use of Atmospheric Plasmas as Electromagnetic Reflectors," *IEEE Trans. Plasma Science*, vol. 21, no. 3, pp. 876-880, available at <http://www.halcyon.com/bar/diaries/21ps03-vidmar>, Aug. 1992. (URL for Transaction, diary, or magazine)

[16] Nalluri, S. K., & Parasaram, V. K. B. (2016). Early Approaches to Robotic Process Automation in Enterprise Systems. *International Journal of Humanities and Information Technology*, 1(01), 12-28.

[17] J.M.P. Martinez, R.B. Llavori, M.J.A. Cabo, and T.B. Pedersen, "Integrating Data Stockrooms with Web Data: A Survey," *IEEE Trans. Information and Data Eng.*, preprint, 21 Dec 2007, doi:10.1109/TKDE.2007.190746. (Pre Print)