SAMRIDDHI Volume 13, Special Issue 1, 2021

Impact of Exosomes Serving as a Tool for Nano-Drug Delivery in Neurotherapeutics: Anti-Alzheimers

Safiya Sultana T¹, Rupali D. Mitra², Jyotsna Gawai^{3,} Sudhanshu Singh^{*4}

¹ Sri Ramachandra Institute of Higher Education and Research, Porur, Chennai, India.

² University of Calcutta, Kolkata West Bengal, India.

³ KDK College of Engineering, Nagpur, India.

⁴ Amity University Rajasthan, Jaipur, India; *e-mail : singhs1183@gmail.com

ABSTRACT

Alzheimer's disease, being a chronic state progressive ND(neurodegenerative diseases), is characterised by abnormalities β -amyloid and impaired cognitive functions resulting in dementia. Exosomes (Nano-particles) have developed as a promising mediators of NDs in which they carry toxic particles between cells and transfer them. Hence, current review focusesprimarily on the effects of exosomes in modulating mediators and promotingneuro-protection against NDs.

Key Words: Alzheimer's disease, miR-126-3p, Exosomes, neuro-therapeutics SAMRIDDHI : A Journal of Physical Sciences, Engineering and Technology, (2021); DOI : 10.18090/samriddhi.v13iS1.3

INTRODUCTION

Veurodegenerative disorders (NDs) are characterized as scope of interruptions in capacity or structure of the neurons or the nervous system. Such enduring dynamics may cause inability in thinking, cognition, movement and memory.[1] These days, the worldwide life expectancy has expanded, consequently; the related NDs are also rising.[2] as indicated by the WHO report on the top 10 reasons for worldwide demise.[3] Current medicines for NDs have significant adverse impacts, therefore, there is still interest to look for new techniques with reduced damages.[4] Presently, it has been recorded that specific protein abnormalities such as Amyloid (APP) precursor protein, tau protein, as well as a-synuclein leads to the development of NDs. [5] As such, nanotechnology, more explicitly, Nano medicine or pharmaceutical nanotechnology gives better medication delivery frameworks for NDs[6] resulting in management of it by improved monitoring, controlling, constructing, diagnosing, and treating at an atomic level.[7] Exosomes haveadvanced as a promising Neuro**Corresponding Author :** Sudhanshu Singh, Amity University Rajasthan, Jaipur, India; e-mail : singhs1183@gmail.com

How to cite this article : T, Safiya, Mitra, R.D., Gawai, J., S., Singh, (2021). Impact of Exosomes Serving as a Tool for Nano-Drug Delivery in Neurotherapeutics: Anti-Alzheimers.

SAMRIDDHI : A Journal of Physical Sciences, Engineering and Technology, Volume 13, Special Issue (1), 7-9.

Source of support : Nil Conflict of interest : None

therapeutics with evident roles in their peripheral neuronal regeneration and repair mechanism in terms of injury.[8]

ALZHEIMER'S DISEASE

AD is a chronic state progressive ND with a long preand present symptomatic period with no cure. AD is associated particularly with cognitive impairments which includesbehavioural, social and work related dysfunctions which lead to death. In Alzheimer's disease, the activation of the microglia cells results

[©]The Author(s). 2021 Open Access This article is distributed under the term of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/ licenses/by/4.0/), which permits unrestricted use, distribution, and non-commercial reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if change were made. The Creative Commons Public Domain Dedication waiver (http:// creativecommons.org/publicdomain/zero/1.0) applies to the data made available in this article, unless otherwise stated.

in beneficial effects during early stages as it induces phagocytosis and clearance of A β via microglial exosomes. The microglial miR-124-3p is known to be a critical mediator which modulates immunity and inflammation processes. The ApoE gene that is known for its role of A β disaggregation is targeted and inhibited by exosomal miR-126-3p in damaged neurons.

Exosomes

The vesicles present in the extracellular space of various cells in tissue culture are diverse, depending on its origin of the cells and their present state (e.g. transformed, stimulated, stressed etc.).Exosomes are generally secreted by various cell types and are present in body vehicles (such as urine, blood, amniotic fluid, CSF, malignant ascites etc). Exosomes usually contain various membrane proteins on their surfaces portraying as biomarkers in various pathological conditions.

Biogenesis of Exosomes

The exosomes are released by micro domains clathrin-coated (inward invaginations) on the surface plasma membrane.Proteins were properly categorized inside the cell and it is significant for neuronal wellbeing. The Exosomes are known to be indulged in toxic proteins spreading mechanism of NDs which can result in mutated or protein misfolding to serve as template oligomers formation.

Role of Exosomes In Neuroprotection

Various studies have proven the roles of exosomes such as nerve regeneration, neuronal protection and development resulting in release of exosomes by microglia55, neurons56, astrocytes57, neural stem cells58 and oligodendrocytes.Exosomes play a neuro-protective role in cases of injury and regeneration. The degradation of the accumulated toxic protein is mediated by two major proteins involving Ndfip1 and Nedd4. Stimulated by concerns of potential infective agents in donated blood, commercial enterprises have attempted to develop blood substitutes since the 1900s and also there are great and vital roles of engineering nanomaterials in this work [11].

Role of Exosomes In Neurotherapeutics

Exosomes when compared with liposomes has several advantages in delivery system. Liposomes being Ideal must evade immune responses and have a half-life longer for targeted drug release & amplified bioavailability. All these important properties are seen better functioned in exosomes. Exosomes has decreased immunogenicity with remarkable drug delivering properties. Sun et alprovided the evidence of Exosomes being utilized for drug delivery. Evidences demonstrated the loading of exosomes with curcumin successfully which provided increased bioavailability along with increased solubility. Stimulated by concerns of potential infective agents in donated blood, commercial enterprises have attempted to develop blood substitutes since the 1900s.

DISCUSSION

There is an increase in quantifiable belongings around the globe, especially in neurodegenerative disorder in recent years. In previous findings of neurodegenerative disorders, the microglial exosomes are portrayed as a double-role weapon in development mechanism of A β abnormalities as well as neurodegeneration. Current biomedical imaging techniques including magnetic resonance imaging (MRI), positron emission tomography (PET), and computed X-ray tomography (CT) are vital in the diagnosis of various diseases. When inorganic nanoparticles are introduced into biological systems, their extremely small size and their exceptional physical and chemical properties make them useful probes for biological diagnostics.

CONCLUSION

In conclusion, our review focuses towards the nanodeveloping techniques towards various diseases including neuro-science. This review focuses towards Exosomes usage as a novel carrier in neurodisorders treatment. Findings such as exosomal miR- 124-3p (of microglial) contributing towards neurodegeneration alleviation or enhancing the outcomes of cognition via ApoE signalling pathway can be taken further for targeting $A\beta$ in AD. Altogether, exosomes can be a promising strategy for targeted transporting of therapeutics in clinical **FIGURES** application point of view.

REFERENCES

- [1] Przedborski S, Vila M, Jackson-Lewis V. Series Introduction:Neurodegeneration: What is it and where are we? J clinc invest. 2003 Jan 1;111(1):3-10.
- [2] Hodjat M, Rahmani S, Khan F, Niaz K, Navaei–Nigjeh M, Nejad SM, Abdollahi M. Environmental toxicants, incidence of degenerative diseases, and therapies from the epigenetic point of view. Archives of toxicology. 2017 Jul 1;91(7):2577-97.
- [3] World Health Organization. Towards a dementia plan: a WHO guide.
- [4] Durães F, Pinto M, Sousa E. Old drugs as new treatments for neurodegenerative diseases. Pharmaceuticals. 2018 Jun;11(2):44.
- [5] Rogan S, Lippa CF. Alzheimer's disease and other dementias: a review. American Journal of Alzheimer's Disease& Other Dementias[®]. 2002 Jan;17(1):11-7.
- [6] Sivakumar PM, Islami M, Zarrabi A, Khosravi A, Peimanfard S. Polymer-GrapheneNanoassemblies and their Applications in Cancer Theranostics. Anti-cancer Agents in Medicinal Chemistry.2019 Oct 28.
- [7] Maravajhala V, Papishetty S, Bandlapalli S. Nanotechnology in development of drug delivery system. Int J Pharm Sci Res. 2012 Jan 1;3(1):84.
- [8] Krämer-Albers EM. Ticket to ride: targeting proteins for brain delivery.Molecular Therapy. 2017 Jun 7;25(6):1264-6.
- [9] Bateman RJ, Xiong C, Benzinger TL, Fagan AM, Goate A, et al. clinical and biomarker changes in dominantly inherited Alzheimer;s disease. N Engl J Med. 2012 Aug 30;367:795-804.
- [10] McKeith IG, Galasko D, Kosaka K, Perry EK, Dickson DW, Hansen LA, Salmon DP, Lowe J, Mirra SS, Byrne EJ, Lennox G. Consensus guidelines for the clinical and pathologic diagnosis of dementia with Lewy bodies (DLB): report of the consortium on DLB international workshop. Neurology. 1996 Nov 1;47(5):1113-24.
- [11]. Singh, S et al., "Development and Electrical Properties of Titanium Dioxide-Based Polymer Nanocomposite Structures". In Advances in Materials Science and Engineering, Springer, Singapore, 2020, 271-280.



Figure 1: Diagrammatic representation of exosomes [31]



Figure 2: Mechanism Involved In Biogenesis Of Exosomes [43]



